NANOLEX REACTIVATING SHAMPOO



Page: 1

Compilation date: 06.03.2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: NANOLEX REACTIVATING SHAMPOO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: Infinitec Gmbh

Taubfeld 18 Saarbrucken D-66121

Germany

- Tel: +4968198 800306
- Email: a.neuner@infinitec-gmbh.de

1.4. Emergency telephone number

Emergency tel: Medical Emergency information in case of poisoning: Poison Information Center Mainz -

24h - Phone: +49 (0) 6131 19240 (advisory service in German or English language)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	Eye Dam. 1: H318; Aquatic Chronic 3: H412; -: EUH208
Most important adverse effects:	Contains orange terpenes. May produce an allergic reaction. Causes serious eye
	damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:	
Hazard statements:	EUH208: Contains orange terpenes. May produce an allergic reaction.
	H318: Causes serious eye damage.
	H412: Harmful to aquatic life with long lasting effects.
Hazard pictograms:	GHS05: Corrosion



 Signal words:
 Danger

 Precautionary statements:
 P273: Avoid release to the environment.

 P280: Wear protective gloves/protective clothing/eye protection/face protection.

 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

NANOLEX REACTIVATING SHAMPOO



Page: 2

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P501: Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

POLY(OXY-1,2-ETHANEDIYL), .ALPHA.-(2-PROPYLHEPTYL)-.OMEGA.-HYDROXY-

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	160875-66-1	-	Acute Tox. 4: H302; Eye Dam. 1: H318;	1-10%
			Aquatic Acute 1: H400; Acute Tox. 4:	
			H302+312; Acute Tox. 4:	
			H302+312+332; Acute Tox. 4:	
			H302+332; Acute Tox. 4: H312; Acute	
			Tox. 4: H312+332; Acute Tox. 4: H332	

PROPAN-2-OL

200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-10%
			STOT SE 3: H336	

2-BUTOXYETHANOL

203-905-0	111-76-2	-	Acute Tox. 4: H332; Acute Tox. 4: H312;	1-10%
			Acute Tox. 4: H302; Eye Irrit. 2: H319;	
			Skin Irrit. 2: H315	

AMINES, FATTY ALKYL DIMETHYL, N-OXIDES

-	-	-	Eye Dam. 1: H318; Aquatic Acute 1:	<1%
			H400; Skin Irrit. 2: H315	

ETHOXYLATED OLEYL/CETYL ALCOHOL

-	68920-66-1	-	Skin Irrit. 2: H315; Aquatic Acute 1:	<1%	
			H400; Aquatic Chronic 2: H411		1

LAURYLPROPYLENDIAMIN

-	5538-95-4	-	Acute Tox. 4: H302+312+332; Skin	<1%
			Corr. 1A: H314; Aquatic Acute 1: H400;	
			Acute Tox. 4: H302; Acute Tox. 4:	
			H302+312; Acute Tox. 4: H302+332;	
			Acute Tox. 4: H312; Acute Tox. 4:	
			H312+332; Acute Tox. 4: H332	

NANOLEX REACTIVATING SHAMPOO



Page: 3

ORANGE TERPENES

-	8028-48-6	-	Flam. Liq. 3: H226; Resp. Sens. 1:	<1%	
			H334; Aquatic Acute 1: H400; Aquatic		
			Chronic 1: H410; Skin Irrit. 2: H315;		
			Skin Sens. 1: H317		

Section 4: First aid measures

4.1. Description of first aid m	ieasures
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash
	immediately with plenty of soap and water.
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist
	examination.
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water
	to drink immediately. Consult a doctor.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so.
4.2. Most important sympton	ns and effects, both acute and delayed
Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe
	pain. The vision may become blurred. May cause permanent damage.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
4.3. Indication of any immedi	ate medical attention and special treatment needed
Immediate / special treatment:	Eye bathing equipment should be available on the premises.
Section 5: Fire-fighting meas	sures
5.1. Extinguishing media	
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray
	to cool containers.
5.2. Special hazards arising	from the substance or mixture
Exposure hazards:	In combustion emits toxic fumes.
5.3. Advice for fire-fighters	
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact
······································	with skin and eyes.
	,

Section 6: Accidental release measures

NANOLEX REACTIVATING SHAMPOO



Page: 4

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

Respirable dust

2-BUTOXYETHANOL

UK 25 ppm 50 ppr	
------------------	--

DNEL/PNEC Values

NANOLEX REACTIVATING SHAMPOO



Page: 5

Hazardous ingredients:

PROPAN-2-OL

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	888mg/kg	Workers	Systemic
DNEL	Inhalation	500mg/kg	Workers	Systemic
PNEC	Fresh water	140,9mg/l	-	-
PNEC	Marine water	140,9mg/l	-	-
PNEC	Microorganisms in sewage	2.251mg/l	-	-
	treatment			
PNEC	Fresh water sediments	552mg/kg	-	-
PNEC	Marine sediments	552mg/kg	-	-
PNEC	Water	160mg/kg	-	-
PNEC	Soil (agricultural)	28mg/kg	-	-

2-BUTOXYETHANOL

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	246 mg/m	Workers	Local
DNEL	Inhalation	89 mg/kg	Workers	Systemic
DNEL	Inhalation	1,091 mg/m	Workers	Systemic
DNEL	Inhalation	125 mg/kg	Workers	Systemic
DNEL	Inhalation	98 mg/m	Workers	Systemic
PNEC	Fresh water	8,8 mg/l	-	-
PNEC	Marine water	0,88 mg/l	-	-
PNEC	Microorganisms in sewage treatment	463 mg/l	-	-
PNEC	Soil (agricultural)	2,33 mg/kg	-	-

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:LiquidColour:GreenOdour:Pleasant



NANOLEX REACTIVATING SHAMPOO

INFINITEC

Page: 6

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

POLY(OXY-1,2-ETHANEDIYL), .ALPHA.-(2-PROPYLHEPTYL)-.OMEGA.-HYDROXY-

ORAL RAT LD50 >300-2000 mg/kg

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

2-BUTOXYETHANOL

IVN	RAT	LD50	307	mg/kg
ORL	MUS	LD50	1230	mg/kg
ORL	RAT	LD50	470	mg/kg



Page: 7

SAFETY DATA SHEET

NANOLEX REACTIVATING SHAMPOO

ORAL	RAT		LD50		>5000	mg/kg
Relevant hazards for produ	ict:					
Hazard		Route			Basis	
Serious eye damage/irritation		OPT		Hazardous: calculated		
mptoms / routes of exposu	Ire					
Skin contact:	There may	y be irritation an	d redness a	at the site o	of contact.	
Eye contact:	There may	y be pain and re	dness. The	eyes may	water profusely. The	ere may be severe
	pain. The	vision may becc	me blurred	. May caus	se permanent damag	je.
Ingestion:	There may	re may be soreness and redness of the mouth and throat. Nausea and stomach				ea and stomach
	pain may	in may occur.				
Inhalation:	There may	re may be irritation of the throat with a feeling of tightness in the chest.				
Delayed / immediate effects:	Immediate	e effects can be	expected a	fter short-t	erm exposure.	
tion 12: Ecological inform	nation					
2.1. Toxicity						
POLY(OXY-1,2-ETHANEDIYL), .ALPHA(2-PF Daphnia magna GREEN ALGA (Selenastrum capricornutum)						
Daphnia magna		-	EPTYL)O 48H EC50 48H EC50)	YDROXY- 10-100 10-100	mg/l mg/l
Daphnia magna		-	48H EC50)	10-100	-
Daphnia magna GREEN ALGA (Selenastrun		-	48H EC50)	10-100	-
Daphnia magna GREEN ALGA (Selenastrun PROPAN-2-OL	n capricorni	utum)	48H EC50 48H EC50)	10-100 10-100	mg/l
Daphnia magna GREEN ALGA (Selenastrun PROPAN-2-OL FISH	n capricorni	utum)	48H EC50 48H EC50)	10-100 10-100	mg/l
Daphnia magna GREEN ALGA (Selenastrun PROPAN-2-OL FISH ETHOXYLATED OLEYL/CE FISH	n capricorni	utum)	48H EC50 48H EC50 96H LC50)	10-100 10-100 10.000	mg/l mg/l
Daphnia magna GREEN ALGA (Selenastrun PROPAN-2-OL FISH ETHOXYLATED OLEYL/CE	TYL ALCO	utum) HOL	48H EC50 48H EC50 96H LC50)	10-100 10-100 10.000	mg/l mg/l
Daphnia magna GREEN ALGA (Selenastrun PROPAN-2-OL FISH ETHOXYLATED OLEYL/CE FISH 2.2. Persistence and degrad rsistence and degradability:	TYL ALCO	utum) HOL	48H EC50 48H EC50 96H LC50)	10-100 10-100 10.000	mg/l mg/l
Daphnia magna GREEN ALGA (Selenastrun PROPAN-2-OL FISH ETHOXYLATED OLEYL/CE FISH 2.2. Persistence and degrad	TYL ALCO ability Biodegrac	utum) HOL lable.	48H EC50 48H EC50 96H LC50 96H LC50)	10-100 10-100 10.000	mg/l mg/l
Daphnia magna GREEN ALGA (Selenastrum PROPAN-2-OL FISH ETHOXYLATED OLEYL/CE FISH 2.2. Persistence and degrad rsistence and degradability: 2.3. Bioaccumulative potent	TYL ALCO ability Biodegrac	utum) HOL lable.	48H EC50 48H EC50 96H LC50 96H LC50)	10-100 10-100 10.000	mg/l mg/l
Daphnia magna GREEN ALGA (Selenastrum PROPAN-2-OL FISH ETHOXYLATED OLEYL/CE FISH 2.2. Persistence and degrad rsistence and degradability: 2.3. Bioaccumulative potential: Bioaccumulative potential: 2.4. Mobility in soil	TYL ALCO ability Biodegrac ial No bioacc	utum) HOL lable.	48H EC50 48H EC50 96H LC50 96H LC50)	10-100 10-100 10.000	mg/l

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.



NANOLEX REACTIVATING SHAMPOO

INFINITEC

Page: 8

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information				
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No			
	2015/830.			
	* indicates text in the SDS which has changed since the last revision.			
Phrases used in s.2 and s.3:	EUH208: Contains < name of sensitising substance>. May produce an allergic reaction.			
	H225: Highly flammable liquid and vapour.			
	H226: Flammable liquid and vapour.			
	H302: Harmful if swallowed.			
	H302+312: Harmful if swallowed or in contact with skin.			
	H302+312+332: Harmful if swallowed, in contact with skin or if inhaled.			
	H302+332: Harmful if swallowed or if inhaled.			
	H312: Harmful in contact with skin.			
	H312+332: Harmful in contact with skin or if inhaled.			
	H314: Causes severe skin burns and eye damage.			
	H315: Causes skin irritation.			
	H317: May cause an allergic skin reaction.			
	H318: Causes serious eye damage.			
	H319: Causes serious eye irritation.			

NANOLEX REACTIVATING SHAMPOO



Page: 9

H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.